

Time to go electric

We provide everything you need to go electric with fully integrated systems from 0.5 to 200 kW of power, for boats from kayaks to large yachts.

Ultralight



Travel



Cruise Outboards





ULTRALIGHT 403 A/AC



ULTRALIGHT 1103 AC



TRAVEL 603



TRAVEL 1103 C



CRUISE 3.0 R/T



CRUISE 6.0 R/T

- 4 Newsroom
- **6** Sustainability
- 8 Superior performance
- 10 Advanced engineering
- 28 Power batteries
- 38 Deep Blue battery
- 42 Accessories
- 46 Technical specifications
- 48 Ordering information
- 52 Service and editorial information
- 54 New mobility
- 56 Contact



CRUISE 12.0 R

Torqeedo

Cruise Pods



Deep Blue





CRUISE 3.0 FP



DEEP BLUE 25/50 R



DEEP BLUE 100 i 900



CRUISE 6.0 FP



DEEP BLUE 25 SD



DEEP BLUE 100 i 2500



CRUISE 12.0 FP



DEEP BLUE 50 SD




DEEP BLUE 25/50 i


Visit our newsroom

Stay up-to-date with the latest news about Torquedo products and projects – including customer stories, boatbuilder profiles, tech talks, company insights and press releases on our newsroom.

Filter by your interests









Scan me

•

www.torqeedo.com/us/en-us/ news-and-press/blog.html





Turning the tide

Switching makes a difference. Electric boats are cleaner and healthier for you, your community and our planet.

If you spend time outdoors and on the water, you are likely to have noticed a change. According to the NOAA* analysis of global temperatures, the seven hottest years since 1880, when record-keeping began, were the last seven years. 2020 was the second-hottest year in the 140-year record. Ocean temperatures are rising, as fishermen report species that have sustained coastal communities for ages are vanishing. Coral reefs, so fragile and beautiful, so critical for aquatic life, are suffering from warming and ocean acidification.

The science is clear

Global temperatures are currently predicted to reach 1.5°C above pre-industrial levels between 2030-2052. The science is clear: We have to reduce our greenhouse gas emissions by 45% over the next 10 years to avoid further warming – and the most harmful impacts of climate change. Reaching this goal will require the reinvention of our lifestyle.

The good news is that the technology for a carbon-neutral mobility is here – and getting more powerful every day.

Electric boats have lower climate impact

Boats powered by electric motors have a significantly lower climate impact than combustion-powered boats. Even when charged with electricity from a coal-fired power plant, CO₂ emissions are reduced by approximately 30%. When charged via renewables, the climate impact is reduced by up to 90%.

Until recently, little attention was paid to the air pollution caused by combustion engines on boats. They are allowed to emit up to 100 times the level of harmful substances permitted in automotive diesels and include very little technology for filtering out pollutants. If you drive an 80 HP boat for one hour, it's like driving 350 new cars at highway speed for the same amount of time.** It's no wonder that in cities with a lot of boat traffic, air pollution from fine particles is up to 20 times higher than accepted levels. If you switch to an electric drive, you are not only reducing your carbon footprint; your local community and waters will benefit as well.


Electric boats cause no water pollution because they don't discharge their exhaust underwater like combustion engines and there is no chance of fuel or oil spilling on the boat or fouling the water. They are also quieter than fossil fuel-powered boats, with very little noise to disturb people on land and wildlife under water. With an electric motor the only sound you hear are the sounds of nature.

For now and the future

Boaters are keen to preserve nature and enjoy clean air and unpolluted water – for today's enjoyment and tomorrow's generations. Torqeedo creates the products for the transition to sustainable boating. It's what we've been doing all along.

National Oceanic and Atmospheric Administration

^{**} Sources: United States Environmental Protection Agency, California Air Resources Board, Environmental Capital Group



Superior efficiency and performance

Our focus on optimizing propulsive power and overall efficiency



The most meaningful performance indicator of a drive system is propulsive power, which indicates the power delivered by the motor to drive the boat, while taking all losses, including propeller losses, into account. This method has been used in commercial shipbuilding for nearly 100 years.

Manufacturers of combustion engines often advertise less informative measurements, such as the shaft power, input power, or even the static thrust. That wouldn't be so bad if the differences between power ratings were minimal, but that isn't the case: a gasoline outboard with an advertised shaft power of 6 HP actually provides a mere 1.6 HP of propulsive power.

The efficiency advantage

Torgeedo efficiency ratings not only refer to motor efficiency, but also disclose losses in motor, electronics, cables, gears and propellers. Thanks to our focus on optimizing the entire system, Torqeedo motors deliver the highest overall efficiency on the market. When combustion engines burn gasoline or diesel, they primarily use the stored energy to produce heat: 5-15% of the supplied energy is used to propel the boat and the rest is lost due to inefficiencies. A Torgeedo drive converts between 44% and 56% of the available energy into propulsive power, extending range and runtime. A Travel motor can propel a light boat more than 10 nautical miles and only consume the equivalent of a few teaspoons of gas.



Electric motors can achieve the same propulsive power as combustion engines with a significantly lower shaft power because of the different torque curves they produce. Electric motors deliver ample torque, which is available at any rotational speed. This characteristic allows them to turn large, efficient, high-pitch propellers that would cause an equivalent combustion engine to stall at startup.


At Torqeedo, we always compare the actual propulsive power of our motors with combustion engines. A Torgeedo motor specified as a "6 HP equivalent" provides the same power as a 6 HP combustion engine, even though its shaft and input power may be lower.



Input power: A performance indicator used for electric motors that doesn't take system losses into account.

Shaft power: A power rating used for combustion engines that doesn't take propeller losses into account, which can be anywhere from 20% to 75% of total power.

Propulsive power: The performance indicator used by commercial ships and by Torgeedo, which takes all losses into account and indicates actual power delivered.



Convenience and value

What to expect when you switch to electric

Charging and handling are easy

An electric drive may simplify your onboard routines. Although charging batteries takes time, Torqeedo owners appreciate the simplicity of just plugging in at the end of the day no need to find a fuel station or carry

cans of fuel down the dock. Owners of Travel or Ultralight systems can charge on board via a 12/24 V supply or the Sunfold 50 solar panel, or bring the lightweight, portable lithium battery home to charge it using the charger that is supplied. Cruise and Deep Blue-powered boats plug in to

shore power and charge overnight. Need a faster turnaround? The high-capacity batteries from these systems can also be equipped with fast chargers or multiple chargers.

Lightweight electric motors are also very easy to handle and store. Our best-selling Travel motors for dinghies, tenders and small sailboats start at just 34 lbs, including the battery. Motor, battery and tiller also come apart so one piece can be handled at a time. They never leak or stink so your hands and your boat stay clean.



The economics of electric mobility on the water

In recreational boating today, cleaner and more convenient electric propulsion systems demand a price premium. Depending on the frequency of use, this may be offset by lower operating costs and lower maintenance and winterization costs. Torqeedo offers full transparency on costs on its website. If you have any questions, please don't hesitate to contact us or your nearest Torqeedo dealer.

In commercial applications, electric mobility is often not only ecologically but also economically superior. Thanks to the substantially lower operating costs, electric propulsion systems often offer a lower total cost of ownership and help commercial operations improve their financial performance. Contact us to find out whether electric mobility will be economical for you.

Advanced engineering

No other electric boat motor manufacturer boasts such in-depth systems development, as many patents, or as much capacity for innovation as Torqeedo

Optimized components

A high-performance system requires high-performance components. Torqueedo employs in-house industrial engineering for all technologies required for electric mobility. All components are either developed by us or carefully selected to complete our systems.

A poorly designed propeller may only deliver 20% propeller efficiency, yet an outstanding one up to 75%. Torqeedo propellers are perfected over several thousand iterations



by the same methods as those used when developing propellers for commercial ships and submarines. But that is not all: the propeller needs to be matched to the motor gear and the requirements of the application, a process known

12%

of **Torqeedo's turnover** invested in research and development every year - a Silicon Valley level.

24,000

calculations per millisecond performed by the processor in the Torqeedo Travel 1103 motor. The computing power significantly improves motor response.


as drive train engineering. When combined with automotive-grade batteries and bespoke electronics and controls, you get superb building blocks for electric propulsion. But it's not a Torgeedo system yet.

We still have to achieve an intelligent interaction between the individual components and create a system that is safe, does its job and delights the user. Only then will we have created a true Torquedo product. This systems-based approach is at the center of everything we do.

Seamless integration

Our software engineers ensure that all the high-tech features of Torqeedo's motors, such as real-time range calculations, smartphone integrations, adaptive charging and battery safety protocols, work properly. Coding and testing can account for more than 50% of the development work for today's electric propulsion systems, depending on the system's complexity.

Torquedo engineers develop data networks that allow different components to communicate with one another quickly and seamlessly. The system constantly exchanges status messages, integrates sensor data and evaluates the appropriate course of action in a matter of milliseconds. Software stops the motor if it senses an impact to the propeller and manages battery charging safely. All Torgeedo motors, even the smallest kayak motors, have a GPS receiver built in that constantly measures speed over ground. With speed data combined with how much power the motor is using, the displays show real-time range and runtime estimates. When linked to a smartphone, the range remaining can even be displayed as a dynamic ring on a map. You never need to worry whether you have enough energy left to get home.



Propeller testing: a welldesigned propeller may reach 75% efficiency, a critical step in optimizing an electric drive train.

Prepared to drive the future

The most complex Torqeedo systems for large yachts or commercial applications simply wouldn't work without precisely manufactured components and painstakingly programmed software. With these bigger and more complex applications and as the world leader in marine electric drives, it is our responsibility to drive innovation and system development to the next level.

That's why we put so much effort into the development and preproduction process - from planning and design to final testing. Torqeedo's quality management system is ISO 9001-certified with DNV and our more than 250 international patents for electric boating speak for themselves.

Besides rigorous endurance tests and electromagnetic compatibility testing, Torqeedo has 40 test benches just in our German headquarters outside Munich.


Torqeedo's EMC chamber: Measures electromagnetic compatibility and ensures norm conformity and reliability.

These benches perform comprehensive and long-term testing, as well as specific tests for gaining additional product- and project-specific approvals, thus achieving or surpassing the highest quality standards in the maritime sector.

40

lab benches for endurance testing and certifying compliance with international standards located in the Torgeedo headquarters alone. 265


international and multinational patents held by Torquedo and covering all components and systems of electric boat motors.



Overall efficiency levels of various outboards









Ultra-powerful. The Ultralight 1103 AC

Professional kayak anglers don't hit the water without their Ultralight, and neither should you. With the Ultralight 1103 AC, you can beat the crowd and get to that coveted spot more than 30% faster. The whisper-quiet, direct-drive Ultralight 1103 AC comes with the innovative angler mount and all the high-tech features you've come to expect: GPS built in, real-time range and run-

time display, solar charging, superior safety and performance, and the latest lithium battery technology. The 1103 AC is almost three times more powerful than the Ultralight 403 for the ultimate in acceleration and pulling power, and adds instant throttle response for improved maneuverability and a heavy-duty construction with more resistance to impact damage.

A summary of the Ultralight accessories can be found on **page 42** or in the Ultralight section online at **www.torgeedo.com/ultralight**



ULTRALIGHT 1103 AC

ULTRALIGHT 403 A/AC

These well-known kayak brands have developed custom Ultralight mounts:














Raising, locking and parking the smart way



No problem with obstacles

The mount allows the motor to kick up toward the stern of the kayak when it encounters an underwater obstacle, thus minimizing damage.



Reversing with one simple action

Pull the reverse cord and simply hold tension or secure it in the included cleat. Release the cord when moving forward to enable the automatic kick-up feature.



Handy park position

Safely stowing the Ultralight 403 for transport is quick and easy. Simply pull up and secure with the included elastic cord. To transport the Ultralight 1103, use the quick-release to remove the motor and stow.

High performance, speed and range

Dependent on factors such as type of boat, load, propeller and ambient conditions. Figures for speed and range are indicative only and are not a guarantee of performance.

As tested on an
ATAK 140

Ultralight 403 AC	03 AC Ultralight 1103 A		
5.7 mph - 2:10 hr	7.4 mph - 0:50 h		
4.0 mph - 8:45 hr	4.0 mph - 8:04 h		
2.0 mph - 45:40 hr	2.0 mph - 45:40 h		







The freedom to Travel

Travel motors have been delighting boaters with their outstanding efficiency, useful technology and easy-to-use design for more than 16 years. The Travel 1103 and Travel 603 motors are the lightest, quietest outboards in their respective power classes and come with a high-performance lithium-ion battery and a built-in onboard computer with GPS, remaining range and charge status – everything you need to know at a glance. Travel

motors boast a durable direct-drive motor, industrially engineered to provide superior efficiency and the most dynamic motor response. The Travel 1103 comes with a high-capacity 915 Wh battery but is still easy to handle at just 38 lbs complete. Racing yachts and other weight-sensitive applications may prefer the Travel 603 at just 34 lbs, complete. Its 500 Wh, 9.3 lbs battery even floats!



TRAVEL 603

TRAVEL 1103 C

What's inside your battery (and why it matters)



Battery cell type might be the most important factor when selecting an electric outboard. Travel batteries use high-quality, individually welded, cylindrical steel safety cells equipped with multiple safety mechanisms made by the world's most reputable manufacturers. The battery is further protected with a built-in battery management system with redundant hardware backups for every safety-relevant function. Other cell types, such as inexpensive pouch cells, are susceptible to damage from heat, vibration and the repeated shocks common on boats. Consumer-grade pouch cells also offer less effective protection against short-circuiting and have a shorter overall service life.





Motor accessories

Like all products from Torqeedo, Travel motors are offered with a full suite of high-tech accessories. It's easy to add a spare battery or a remote throttle for operating the motor from the helm instead of the tiller, or choose the TorqTrac smartphone app.

New for 2023, it's even easier to Travel on solar power! **The new solar charging cable** (part no. 1997-00) allows you to connect your battery to a third-party solar panel up to 160 W with a standard MC4 connection.

With the optional Bluetooth dongle installed, TorqTrac turns your compatible smartphone into a bright, easy-to-read onboard computer with a number of useful motor and battery readouts. The app is available from the App Store (iOS) or Google Play Store (Android).

See page 42 for the full range of accessories for your new Travel.



Double your range!

The high-capacity 915 Wh battery that comes with your new Travel 1103 offers plenty of power for most tenders, dinghies and daysailers.

For heavier vessels or more demanding use cases consider adding a second lithium battery.



No more leaky, smelly gas cans – switching to a freshly charged battery takes seconds and you're back underway!



High performance, speed and range

Dependent on factors such as type of boat, load, propeller and ambient conditions. Figures for speed and range are indicative only and are not a guarantee of performance.

As tested on a	Travel 603	Travel 1103		
one-class racing sailboat	4.4 mph - 0:50 hr 3.6 mph - 1:50 hr 1.9 mph - 5:00 hr	5.1 mph - 0:50 hr 3.6 mph - 3:20 hr 1.9 mph - 9:00 hr		
As tested on a	Travel 603	Travel 1103		
fishing boat	4.9 mph - 0:55 hr	5.8 mph - 0:50 hr		
	3.8 mph - 1:45 hr 2.4 mph - 5:20 hr	4.3 mph - 2:17 hr 2.4 mph - 9:10 hr		



Cruise Outboards







The perfect way to Cruise

Since their premiere in 2006, Cruise motors have been the electric outboard motor of choice for motorboats, dinghies and commercial users. Powerful and easy to use, all Cruise systems have a built-in GPS with onboard computer and display with speed and input power, state of charge and remaining range.

Cruise 3.0 is a 24 V, 6 HP-equivalent outboard perfect for boats up to 3 tons. With a single Power 24-3500 lithium battery, this lightweight and budget-friendly e-drive gives you up to one hour of full-throttle runtime and runs all day at slower speeds. Need more range or speed? You can add up to 16 Power 24-3500 batteries for more energy storage. Choose from remote-steered with a standard topmount throttle (1918-00) or a tiller model.

The Cruise 6.0 R and 12.0 R are 48 V systems powered by Torqeedo's Power 48-5000 lithium batteries. These powerful drives and batteries ship

with Torqeedo's advanced communication system, TorqLink, which allows faster and more accurate data sharing between system components. You can choose from either remote steering or tiller-equipped Cruise 6.0 outboards, which are 9.9 HP-equivalents for boats up to 6 tons. Cruise 12.0 is a 25 HP-equivalent outboard with remote steering for boats up to 12 tons. Cruise 6.0 R and 12.0 are compatible with a wide variety of TorqLink throttles.

A summary of the Cruise accessories can be found starting on page 42 or online at www.torqeedo.com.







CRUISE 12.0 R

^{*} also available without TorqLink for Power 24-3500 integration





Let's do this

Ready to build the perfect Cruise drive system for your boat? Visit our online Cruise configurator, make your motor, battery, throttle and charging selections and see what it will take to make your electric dream come true.



TorqLink throttle with color display

With its bright, easy-to-read color display, this throttle is the perfect control for your TorqLink-equipped Cruise 6.0/12.0 systems. It displays all critical system data at the push of a button

and boasts infinitely variable forward and reverse in a high-tech design. And it has Bluetooth built in for easy connection with TorqTrac, the Torgeedo smartphone app.



High performance, speed and range

Dependent on factors such as type of boat, load, propeller and ambient conditions. Figures for speed and range are indicative only and are not a quarantee of performance.

As tested on Linder 400 Sportsman

Cruise 6.0 R

16.8 mph - 0:50 hr
8.1 mph - 1:40 hr
5.3 mph - 5:00 hr

with 1 x

Power 48-5000

As tested on My-RIB 420 Cruise 12.0 R 17.4 mph - 0:50 hr 7.9 mph - 1:25 hr 3.7 mph - 10:00 hr

> with 2 x Power 48-5000



Cruise Pod drives









Peace and power

Don't confuse silence with weakness.

Torqeedo's Cruise fixed pod lineup is powerful, lightweight, efficient and saves space onboard. The flagship model, the Cruise 12.0, is a 25 HP-equivalent that easily powers sailboats up to 12 tons. All Cruise motors come with an onboard computer and display with GPS-calculated range and runtime.

CRUISE 3.0 FP

Cruise 6.0 and 12.0 pods come standard with Torquedo's advanced communication system, TorqLink, which allows faster and more accurate data sharing between system components.

Visit our online Cruise configurator to build your perfect pod system. Scan QR Code.



CRUISE 12.0 FP

A summary of the Cruise accessories can be found on **page 42** or online at **www.torqeedo.com.**



CRUISE 6.0 FP




Free for all

Generate emission-free, noise-free and cost-free energy while sailing? Yes, please! Cruise Fixed Pods can charge their own batteries while underway, so you always have plenty of power on board.

Hydrogeneration Cruise 12.0 FP

Values were determined in a towing test and represent the expected possible performance. Speed was measured by speed over ground (GPS). Actual approach speed at the propeller (speed through water) can deviate considerably and lead to significantly different performance.



High performance, speed and range

Dependent on factors such as type of boat, load, propeller and ambient conditions. Figures for speed and range are indicative only and are not a guarantee of performance.

As tested on a	Cruise 3.0 FP	Cruise 6.0 FP
daysailer	6.8 mph - 1:10 hr	8.1 mph - 0:50 hr
	5.3 mph - 3:00 hr	6.2 mph - 3:00 hr
	4.0 mph - 9:00 hr	4.3 mph - 9:00 hr
	with 1 x Power 24-3500	with 1 x Power 48-5000

Superior battery technology

Safe, powerful and easy to use, Power batteries are the ultimate energy source for Cruise motors or house loads

Lithium-ion batteries are the technology of choice for electric mobility applications. They store significantly more energy than other batteries, maintain a high current (a major advantage for electric drive systems), do not lose their charging capacity, supply power reliably even in cold weather and have no memory effect. They also provide many more cycles than lead-based batteries.

Torqeedo has been a pioneer in the development of lithium batteries for marine applications for more than a decade. Since we make our batteries just a little bit better each year, we offer the most comprehensive and integrated protection and safety concept for lithium batteries on the market – coupled with performance and convenience.



Intelligent battery management system (BMS)

The BMS **monitors and protects** Torquedo batteries against overcharging, overcurrent, deep discharge, short-circuiting and overheating. The battery has comprehensive safety features, and each safety-relevant component is duplicated with a backup component should it fail. In addition to these safety features, the BMS safeguards the battery's life expectancy with balancing and deep-sleep functionality.

Safe and easy to transport

Thanks to their **high energy density**, the volume and weight of lithium batteries are more than 70% lower than comparable AGM or lead-gel batteries. This makes our low-voltage batteries simple to handle and light to carry. On top of that, Torqeedo Power and Deep Blue batteries can be switched on and off, allowing them to be safely **transported and installed** and protecting them against unintentional discharge.


Safety of lithium batteries

Besides performance, safety plays an important role for lithium batteries. In our view, four factors need to be considered in order to ensure that safe really means safe:



Battery management system (BMS) with redundant safe-

ty features: Unlike lead-based batteries, lithium batteries always need a BMS to perform balancing and safety functions. If any electronic components of the BMS fail, it may itself become a safety risk for the battery. That's why there is hardware backup for all safety-relevant components in Torqeedo batteries. Incidentally, this is also stipulated in the automotive and aerospace industries and for medical technology.



High-quality safety cells

Several hardware mechanisms in every single cell provide additional safety. Torquedo only uses cells based on lithium sourced from the clean, precision production processes of reputable manufacturers.

System communications

The battery electronics continuously communicate all the details of the battery status to the onboard computer.

Completely waterproof

Waterproof housing (IP67): While battery immersion should be avoided, all Torquedo batteries are, without exception, completely waterproof. The waterproof characteristics of each battery are individually tested prior to delivery.

Waterproof connections: Whether connected or not, all cable connectors are completely waterproof to IP67.



Safe cell packaging: Torqeedo only uses individually welded safety cells – either steel cylindrical or assembled into modules and equipped with multiple safety mechanisms. Other forms of packaging offer a lower standard of safety as they afford less effective protection against short-circuiting within the cells.



Clean, precision production processes on the part of the cell manufacturers: Torquedo only uses cells and modules sourced from the world's most reputable brands.



Waterproof to IP67: Water in lithium batteries can lead to various problems, such as corrosion of the BMS hardware or generation of electrolytic gas. Lithium batteries on board a boat should therefore be waterproof.

Power play

The 24 V Power 24-3500 delivers 3.5 kWh of power in just 55.8 lbs (25.3 kg) for an impressive energy density of 138 Wh/kg. With the 1,700 W fast charger, you can fill up the Power 24-3500 in just under two hours, making this lithium pack perfect for the Cruise 3.0 motor or powering house loads on board. For boats powered by Cruise 6.0, 10.0 or 12.0 motors, choose the 48 V Power 48-5000 with TorqLink.








Technical data	Power 48-5000	Power 24-3500 3,500 Wh		
Useable energy	5,000 Wh			
Nominal energy	5,275 Wh	3,679 Wh		
Nominal voltage	44.4 V	25.6 V		
Weight	36.5 kg (80.5 lbs)	25.3 kg (55.8 lbs)		
Energy density (weight)	135 Wh/kg	145 Wh/kg		
Maximum discharge rate	200 A (8,880 W at nominal voltage)	180 A (4,500 W at nominal voltage)		
Dimensions	19.9 x 15.2 x 8.8 inches	22.7 x 8.6 x 10 inches		
Battery chemistry	LMO-NMC	Li-NCA		
Cycle lifetime	>3,000 cycles at 80% depth of discharge at 25°C results in approx. 20% capacity loss	800 cycles at 100% depth of discharge at 25 °C results in approx. 25% capacity loss		
Annual capacity loss	<3%	<4%		
Max. connections	2P as shipped; up to 8P with Torqeedo support	2S8P or 1S16P		
TorqLink	Yes	No		
Price-performance	1.04 USD/Wh	0.86 USD/Wh		

Head for the horizon with Cruise Hybrid

Cruise Hybrid systems provide economical, complete power for your 25- to 40-foot vessel up to 12 tons. Tried-and-tested Cruise motors are matched with high-performance lithium-ion batteries from Torqeedo's Power series, a variety of charging options and electronic throttles and displays – all connected with TorqLink, Torqeedo's advanced communications protocol. Choose to view system data on your boat's NMEA 2000 multifunctional display, throttle display or directly on your smartphone with the TorqTrac app.

Charge your batteries from shore power with our standard or fast chargers, or harness the power of the sun with a smart solar charge controller and your onboard photovoltaics. Sailboats can even charge their own batteries while sailing by simply placing the system in hydrogeneration mode. For seamless backup power you can integrate AC digital inverter generators up to 10 kW – just visit torqeedo.com for technical details.



Deep Blue

most reputable boat brands

Motors up to 100 kW are available in a

low-RPM for displacement vessels

high-RPM version for planing boats and



Sets industry standards for production

Clean, renewable energy generation with

quality and safety systems

automatic generator backup

Yachts up to 120 feet Large motorboats New build or refit Boats for commercial use, e.g. water taxis, ferries and tour boats




The only complete solution for powerful electric drive systems available on the market today - a fully integrated propulsion and energy management system.



The modular, scalable, single-source solution

More than just a battery-powered electric motor, Deep Blue is a fully integrated propulsion and energy management system – customizable with modular components and industrially engineered to meet the highest demands. The result is exceptional


performance and safety, compliance with international standards at the system level and highly intuitive operation. This single-source turnkey solution is available as an outboard, inboard or saildrive for recreational boats and commercial applications.



- 1 Powerful electric motor
- 2 360 V high-capacity lithium battery system
- 3 Shore power charger
- 4 System management unit
- 5 Electronic throttle
- 6 Display with onboard computer

Deep Blue system

The essential Deep Blue configuration is suitable for vessels with access to shore charging and a priority on propulsive power. The system components, from propeller to high-tech user interface, are perfectly matched and integrated to provide emission-free, quiet and powerful propulsion.



- 1 Powerful electric motor
- 2 360 V high-capacity lithium battery system
- 3 12 V batteries
- 4 Efficient state-of-the-art diesel generator
- 5 Shore power chargers
- 6 System management unit
- 7 Shore power connection
- 8 System connection box 9 AC inverter

- 10 Isolated AC power system
- (120/240 V AC current, 50/60 Hz)
- 11 Bi-directional DC/DC converter
- 12 24 V onboard batteries
- 13 Solar charge controller
- 14 Photovoltaic modules15 Electronic throttle
- 16 Display with onboard computer

Deep Blue Hybrid system

This integrated, modular system is suitable for larger vessels, oceangoing yachts or commercial vessels with complex onboard energy requirements. Deep Blue Hybrid provides comprehensive energy management. Each component's energy demands are monitored and managed by the central system, ensuring economical collection and distribution of clean, renewable energy with automatic generator backup when necessary.

Always in control

Deep Blue offers intuitive operation presented on the multifunctional display, providing a complete overview of the entire system and access to all control functions.

The software keeps an eye on everything and prevents issues like deep-discharging batteries. An easy-to-understand graphical user interface is available as either multihull or monohull and delivers complete, up-to-the-minute system visualization.




Main menu: Navigate easily between different categories.



Drive screen: All important information needed while motoring or sailing. You can choose to display or hide the information line at the top.



System management: Provides status data on all system components. Select individual components for more detail.



Energy flow: Understand your system's power balance and energy flow at a glance.





Deep Blue for sailboats

When designing a new sailing yacht or contemplating a refit, each component must be evaluated to be sure it does its job, works well with the rest of the onboard systems and provides the best possible user experience. Deep Blue and Deep Blue Hybrid, with powerful

electric motors available up to 100 kW, make yachting more convenient and more environmentally friendly, while reducing dependence on shore supplies through onboard generation of clean, renewable power. Add in worldwide service, a 9-year limited

battery warranty (for recreational use) and the peace of mind that comes with choosing the world leader in electric mobility on the water and this choice couldn't be clearer.









DEEP BLUE 25/50 i



DEEP BLUE 100 i 900

TECHNICAL DATA	SAILDRIVES		INBOARDS		
	Deep Blue 25 SD	Deep Blue 50 SD	Deep Blue 25 i 1200	Deep Blue 50 i 1200	Deep Blue 100 i 900
Max. propeller speed	1,360 rpm	1,325 rpm	1,200 rpm	1,200 rpm	900 rpm
Shaft power (continuous)	25 kW	50 kW	25 kW	50 kW	100 kW
Shaft power (peak)	=	-	-	57 kW	-
Torque (continuous)	176 Nm	426 Nm	272 Nm	400 Nm	1060 Nm
Torque (peak)	-	-	-	468 Nm	-
Weight (incl. electronics)	125 kg (276 lbs)	180 kg (397 lbs)	88 kg (194 lbs)	88 kg (194 lbs)	475 kg (1047 lbs)



Deep Blue for motorboats

The first and only high-power electric drive system for motorboats from industrial production, Deep Blue offers exceptional performance, professional safety and easy operation. Motorboats and fast yacht tenders can choose

from our high-tech outboard and inboard drives paired with high-capacity lithium batteries. The 40 kWh battery is the ultimate standalone energy source.

With a 9-year limited battery capacity warranty (for recreational use), outstanding efficiency and a proven long service life, Deep Blue is the exclusive solution for powerful electric motorboats.



DEEP BLUE 25/50 R



DEEP BLUE 25/50 i



DEEP BLUE 100 i 2500

TECHNICAL DATA	OUTBOARDS		INBOARDS		
	Deep Blue 25 R	Deep Blue 50 R	Deep Blue 25 i 2000	Deep Blue 50 i 2000	Deep Blue 100 i 2500
Max. propeller speed	2,440 rpm	2,440 rpm	2,000 rpm	2,000 rpm	2,700 rpm
Shaft power (continuous)	25 kW	49 kW	25 kW	50 kW	100 kW
Shaft power (peak)	-	55 kW	-	57 kW	120 kW
Torque (continuous)	129 Nm	190 Nm	164 Nm	240 Nm	385 Nm
Torque (peak)	-	215 Nm	-	281 Nm	430 Nm
Weight (incl. electronics)	from 139 kg (306 lbs)	from 139 kg (306 lbs)	88 kg (194 lbs)	88 kg (194 lbs)	200 kg (441 lbs)

The power of Deep Blue


High-capacity lithium batteries with proven automotive technology, superb energy density and the highest safety standards

The latest generation of automotive battery cells:

- Very high energy density
- Prismatic cell design allows efficient cooling, a compact form, even temperature distribution within the battery and an extremely rugged structure
- Robust protective aluminum housing with safety vent
- From the automated production process of Samsung SDI, a leading manufacturer of lithium battery cells

Laser-welded cell connections:

Over a larger surface and therefore stronger and more powerful than conventional spot-welded cell connections.



In the unlikely event of excess pressure developing in a cell, the prismatic cells will release the excess pressure through a valve. This is a significant safety advantage over foil-welded cells and pouch cells. The pressure safety disc allows gases to escape and ensures the battery stays waterproof in normal operation.

Professional safety standards



The **insulation monitor** constantly monitors that the voltage from all 360 V components is completely isolated from the boat – not just for individual system components but for all of them. If damage is detected, e.g. to the cable insulation, the system will issue an alert.



Automotive industry-level battery safety:

The first lithium batteries for the marine industry with the advanced quality standards of the automotive sector are the result of Torqeedo's collaboration with established battery manufacturers. Integrating a battery into a drive system and the associated safety concept alone requires considerable effort that can only be achieved by working together with the battery manufacturer.


Scan me



Deep Blue batteries are available with DNV type approval for commercial use.

Automated module production:

- Prismatic cells have many advantages. However, they must be assembled extremely accurately in a very robust frame for a long service life. Otherwise, charging and discharging would lead to the cells very slightly expanding and contracting and cause them to age prematurely over time.
- The very rugged design is ideal for boat applications that place high demands on shock resistance.



Battery management system (BMS) at module and battery levels:

- State-of-the-art BMS technology
- Developed to ASIL C standards as used in the automotive industry for maximum safety
- Qualification and acceptance testing at a far higher level than is typical in the boating industry

Compressor cooling: Cools the battery to ensure high performance and a long service life, even in high ambient and water temperatures in all climate zones anywhere in the world.

Power and data connections from the battery to the Deep Blue system



All components are waterproof:

Components that were not specifically developed for boats are not always waterproof. All the components of a high-power system on a boat must be waterproof to guarantee safe operation. That is why all of our components are waterproofed and, in some cases, are further protected by water sensors.



Battery venting: In the unlikely event that the redundant safety mechanisms of the battery fail, the battery cells can reduce their temperature and pressure via a pressure valve. While batteries are installed in electric cars in such a way that they can discharge battery gases directly onto the road, on electric boats the gases must be channelled safely off the vessel. We developed the first safe venting system for boats for the Deep Blue system.



Battery damping: All components on fast and seagoing boats are subject to constant high levels of shock that exceed shock levels on the road - in some cases over 12 g of acceleration force. The same holds true when trailering the boat. Since batteries and battery electronics are not designed for these constant impacts, they need their own damping system on boats (in addition to the damping mechanisms within the battery). Torqeedo was the first industrial-scale manufacturer to provide this for maritime use.

The perfect powerhouse

Deep Blue Battery 40

The latest battery technology from the automotive industry: high energy density, long service life, robust and built to the highest standards of quality and safety. With 40 kWh of capacity, the Deep Blue battery provides plenty of power for a full day on the water and paves the way for all sorts of new Deep Blue applications. The Deep Blue battery is available with DNV type approval for commercial use and with an optional cooling system.

Technical data Nominal voltage 352 V Chemistry Lithium-Ion, NMC Safety IP67 ingress protection, venting, damping, IEC 62619 & IEC 62620 Capacity (usable) 38 kWh Weight 626 lbs

67 x 39 x 7 inches

Deep Blue 22 kW AC Charger

Liquid-cooled battery charger converts shore power to DC voltage for fast, efficient battery charging. Also allows you to charge your system via onboard AC generators.



Technical data

Dimensions

Input power	22 kW
Typical efficiency	95%
Waterproof	IP67, IP6K9K
Weight	42 lbs (charger), 23 lbs (AC box)
Dimensions	28 x 4 x 14 inches

Integrate a range extender

Automatic and efficient backup power

Deep Blue's DC interface makes it easy to manage your DC range extender for seamless, convenient and ultra-efficient backup power. The system automatically makes sure the generator is always working at its most efficient point, minimizing runtime and reducing fuel consumption, noise and vibration. Check on your energy balance at a glance, set charging parameters, maintain state of charge or explore ultra-convenient options like Night Mode, which ensures batteries are fully charged by the time you specify. This allows you to enjoy all the comforts of your yacht at night without running the generators.

Deep Blue DC interface





Accessories

- + Add a spare battery for additional range
- Charge via solar, 12 or 24 V onboard supply or plug in to shore power
- Upgrade to a practical, ergonomic and Bluetooth-equipped throttle
- Efficient propellers for high speed or more thrust









Controls



Aluminum throttles with TorqLink

Our aluminum throttles offer the right solution for every application with top mount, side mount and twin controls. Or, choose the budget-friendly TorqLink throttle with color display. All TorqLink throttles come with Bluetooth built in for simple integration of Torqeedo's TorqTrac smartphone app.

Power supply



Extend your range with a second 915 Wh battery on board.





Remote throttle

Instead of using the tiller, you can control your Travel or Cruise 3.0 motor with the throttle located 5 or 15 feet away. This remote throttle comes with an onboard computer display, fully variable forward and reverse, and two different lengths of data cable.

Spare Travel batteries

Extend your range with a second battery on board. Available in 500 Wh or 915 Wh capacity.





TorqLink throttle with color display

With its bright, easy-to-read color display, this throttle is the perfect control for your TorqLink-equipped Cruise 6.0 and Cruise 12.0 systems. It displays all critical system data at the push of a button and has Bluetooth built in.

Power 24-3500

This 56 lbs 24 V lithium pack is perfect for the Cruise 3.0 motor or powering house loads on board.





Display gateway

Link external devices to Torqeedo drive systems with TorqLink. The small gateway plugs in quickly and easily, and allows NMEA-2000 devices to access and display key motor and battery information.

Power 48-5000

For boats powered by Cruise 6.0, 10.0 or 12.0 motors, choose the 48 V Power 48-5000. Now with TorqLink, fast charging and solar charging.





Charging

Sunfold 50

This lightweight solar panel delivers lots of clean solar energy and can be easily folded for storage. Suitable for all Travel and Ultralight batteries from 2015.



Solar charge controllers

The integrated MPPT controls solar charging, maximizing energy yield and overall efficiency for systems with Power batteries.



Fast chargers

Specifically developed for Power batteries, these fast chargers can fully charge a single battery in approximately three hours at 240 V.



USB adapter for Travel and Ultralight batteries

Charges small equipment such as smartphones, cameras or onboard lights.

Propellers

Spare propeller

Choose a spare standard prop or a version with higher top-end speed or more thrust at low RPM.



Folding propellers for Cruise 3.0/6.0/12.0 FP

Low drag when under sail, powerful propulsion while motoring.



Propeller v22/p10k Cruise 10.0/12.0

For all Cruise 10.0 and 12.0 models. Medium-speed propeller for planing and displacement.





You can find more information about accessories and a detailed propeller guide on our website: www.torqeedo.com

Outboards and pods ≤ 25 HP equivalent

	ULTRALIGHT 403 A/AC	ULTRALIGHT 1103 AC	TRAVEL 603	TRAVEL 1103 C	CRUISE 3.0 T/R
Input power in W	400	1,100	600	1,100	3,000
Propulsive power in W	180	540	295	540	1,530
Comparable gasoline outboard (shaft power)	1HP	3 HP	2 HP	3 HP	6 HP
Comparable gasoline outboard (thrust)	2 HP	4 HP	2 HP	4 HP	8 HP
Comparable diesel inboard (shaft power)	-	-	-	-	
Comparable diesel inboard (thrust)	-	-	-	-	_
Maximum overall efficiency in %	45	49	49	49	51
Static thrust in lbs*	33	70	44	70	142
Integrated battery (Li-lon)	320 (A) / 915 (AC) Wh	915 Wh	500 Wh, floating	915 Wh	-
Nominal voltage in V	29.6	29.6	29.6	29.6	24
Final charging voltage in V	33.6	33.6	33.6	33.6	-
Total weight in lbs	19.4 (A) / 24.3 (AC)	33.7	34.2	38.1 (S) / 39.0 (L)	T: 43.4 (S) / 44.5 (L) R: 41.7 (S) / 42.8 (L)
Motor weight without battery, in lbs	11.0	20.5	24.9	24.9 (S) / 25.8 (L)	-
Weight of integrated battery, in lbs	8.4 (A) / 13.2 (AC)	13.2	9.3	13.2	-
Shaft length in inches	19	20.1	24.6	24.6 (S) / 29.5 (L)	24.6 (S) / 29.7 (L)
Standard propeller (v = speed in km/h at p = power in W)	v10/p350	v10/p1100 weedless	v10/p1100	v10/p1100	Propeller B 12x10.5 WDR
Alternative propeller options	-	-	v10/p1100 weedless	v10/p1100 weedless	-
Maximum propeller speed in rpm at full load	1,200	1,450	1,100	1,450	1,100
Control	Throttle	Throttle	Tiller	Tiller	Tiller/throttle**
TorqLink	-	_	_	=	No
Steering	Connects to kayak steer- ing, lockable	Connects to kayak steering, lockable	+/-60° lockable	+/-60° lockable	360° lockable
Tilting device	Manual, with impact protection	Manual, with impact protection	Manual, with impact protection	Manual, with impact protection	Manual, with impact protection
Trim device	Manual, 4-step	Manual, 4-step	Manual, 4-step	Manual, 4-step	Manual, 4-step
Stepless forward/ reverse drive	Yes	Yes	Yes	Yes	Yes

^{*} Torquedo static thrust measurement is based on internationally accepted ISO standards. Static thrust figures for conventional trolling motors are typically measured differently, which results in higher values. To compare Torquedo static thrust data with conventional trolling motors, add approximately 50% to the Torquedo static thrust values.

^{**} not included

⁽S) short version

⁽L) long version

⁽XL) extra-long version

CRUISE 6.0 T/R	CRUISE 10.0 T	CRUISE 12.0 R	CRUISE 3.0 FP	CRUISE 6.0 FP	CRUISE 12.0 FP
6,000	10,000	12,000	3,000	6,000	12,000
3,504	5,600	6,720	1,530	2,760	6,720
9.9 HP	20 HP	25 HP	-	-	-
15 HP	25 HP	25 HP	_	-	-
-	-	-	6 HP	9.9 HP	25 HP
-	-	-	8 HP	15 HP	25 HP
58	56	56	51	58	56
230	405	405	142	230	405
-	-	-	-	-	-
48	48	48	24	48	48
-	-	-	-	-	-
T: 47.0 (S) / 48.1 (L) R: 45.4 (S) / 46.3 (L)	T:132.9 (S)/136.2 (L)/ 138.9 (XL) R: 131.8 (S)/135.1 (L)/ 137.8 (XL)	131.8 (S)/ 135.1 (L)/ 137.8 (XL)	28.2	32.4	73.9
=	=	-	-	-	=
-	-	-	-	-	-
24.6 (S) / 29.7 (L)	15.2 (S)/20.2 (L)/ 25.2 (XL)	15.2 (S)/20.2 (L)/ 25.2 (XL)	- -	-	-
Propeller B 12.5x17 HSP	v22/p10k	v22/p10k	Propeller B 12x10.5 WDR	Propeller B 12x13 THR	v15/p10k
Propeller B 12x13 THR	v32/p10k v15/p10k	v32/p10k v15/p10k	Propeller B12x7 FLD	Propeller B13x11 FLD	v15/p10k (fold. prop.) v22/p10k v32/p10k
1,130	1,400	1,400	1,100	1,130	1,400
Tiller/throttle**	Tiller	Throttle**	Throttle**	Throttle**	Throttle**
With or without	No	Yes	No	Yes	Yes
360° lockable	+/-45°	+/-45°	-	-	-
Manual, with impact protection	Power tilt	Power tilt	-	-	-
Manual, 4-step	Manual, 4-step	Manual, 4-step			
Yes	Yes	Yes	Yes	Yes	Yes

Part no. Product Description

Drives and batteries

Ultralio	aht	
1405-00		Ultralight outboard, 1 HP equivalent, with 320 Wh high-performance lithium battery, including charger, throttle with onboard computer (GPS-based range calculation) and emergency magnetic kill switch
1407-00	Ultralight 403 AC	Ultralight outboard, 1 HP equivalent, with 915 Wh high-performance lithium battery, including charger, throttle with onboard computer (GPS-based range calculation) and emergency magnetic kill switch
1408-00	Ultralight 1103 AC	Ultralight outboard, 3 HP equivalent, with 915 Wh high-performance lithium battery, including charger, throttle with onboard computer (GPS-based range calculation) and emergency magnetic kill switch
1417-00	Spare battery 915 Wh for Ultralight	High-performance lithium battery with integrated GPS receiver, 915 Wh. For all Ultralight models
Travel		
1153-00	Travel 603	High-efficiency outboard with integrated 500 Wh high-performance floating lithium battery, 2 HP equivalent, including onboard computer with GPS-based range calculation, charger, emergency magnetic kill switch, short shaft
1151-00	Travel 1103 CS	High-efficiency outboard with integrated 915 Wh high-performance lithium battery, 3 HP equivalent, including onboard computer with GPS-based range calculation and charger, emergency magnetic kill switch, short shaft
1152-00	Travel 1103 CL	As part no. 1151-00, but with long shaft
1155-00	Spare battery 500 Wh for Travel	High-performance lithium battery with integrated GPS receiver, 500 Wh. For Travel 503/603
1148-00	Spare battery 915 Wh for Travel	High-performance lithium battery with integrated GPS receiver, 915 Wh
Cruise		
1260-00	Cruise 3.0 RS	High-efficiency outboard, 6 HP equivalent, including connection to remote steering, cable set (14 ft, 2 AWG) including main switch and propeller B 12x10.5 WDR, short shaft version. Throttle not included – best paired with throttle part no. 1918-00
1261-00	Cruise 3.0 RL	As part no. 1260-00, but with long shaft and cable set (14 ft)
1262-00	Cruise 6.0 RS TorqLink	High-efficiency outboard with TorqLink, 9.9 HP equivalent, including connection to remote steering, cable set (14 ft, 2 AWG) including main switch and propeller B 12.5x17 HSP, short shaft version. Throttle not included – best paired with TorqLink throttle part no. 1976-00
1262-10	Cruise 6.0 RS	As part no. 1262-00, but without TorqLink, for systems with Power 24-3500 (install according to ISO16315 if applicable)
1263-00	Cruise 6.0 RL TorqLink	As part no. 1262-00, but with long shaft and cable set (14 ft)
1263-10	Cruise 6.0 RL	As part no. 1262-10, but with long shaft and cable set (14 ft)
1264-00	Cruise 3.0 TS	High-efficiency outboard, 6 HP equivalent, with tiller steering, integrated onboard computer with GPS-based range calculation, cable set (14 ft, 2 AWG) including main switch and propeller B 12x10.5 WDR, short shaft version
1265-00	Cruise 3.0 TL	As part no. 1264-00, but with long shaft and cable set (14 ft)
1266-00	Cruise 6.0 TS	High-efficiency outboard, 9.9 HP equivalent, with tiller steering, integrated onboard computer with GPS-based range calculation, cable set (14 ft, 2 AWG) including main switch and propeller B 12.5x17 HSP, short shaft version
1267-00	Cruise 6.0 TL	As part no. 1266-00, but with long shaft and cable set (14 ft)
1268-00	Cruise 3.0 FP	High-efficiency pod motor (fixed position), 6 HP equivalent. Cable set (14 ft, 2 AWG) including main switch and propeller B 12x10.5 WDR. Throttle not included – best paired with throttle part no. 1918-00
1269-00	Cruise 6.0 FP TorqLink	High-efficiency pod motor (fixed position) with TorqLink, 9.9 HP equivalent. Cable set (14 ft, 2 AWG) including main switch and propeller B 12x13 THR. Throttle not included – best paired with TorqLink throttle part no. 1976-00
1243-20	Cruise 10.0 TS	High-efficiency outboard, 20 HP equivalent, with tiller steering, integrated onboard computer with GPS-based range calculation, cable set (15 ft, 3/0 AWG) including main switch and v22/p10k propeller, short shaft version
1244-20	Cruise 10.0 TL	As part no. 1243-20, but with long shaft
1245-20	Cruise 10.0 TXL	As part no. 1243-20, but with extra-long shaft
1280-00	Cruise 12.0 RS TorqLink	High-efficiency outboard with TorqLink, 25 HP equivalent, including connection to remote steering, cable set (15 ft, 3/0 AWG) including main switch and v22/p10k propeller, short shaft version. Throttle not included – best paired with TorqLink throttle part no. 1976-00

Warning Notice according to California Proposition 65 Regulation

AWARNING

Cancer and Reproductive Harm www.P65Warnings.ca.gov

Part no.	Product	Description	MSRP in USD
1281-00	Cruise 12.0 RL TorqLink	As part no. 1280-00, but with long shaft	
1282-00	Cruise 12.0 RXL TorqLink	As part no. 1280-00, but with extra-long shaft	
1283-00	Cruise 12.0 FP TorqLink	High-efficiency pod motor (fixed position) with TorqLink, 25 HF ft, 3/0 AWG) including main switch and v15/p10k propeller. Thr TorqLink throttle part no. 1976-00	, , , , , , , , , , , , , , , , , , , ,
Power			
2106-00	Power 24-3500	High-performance lithium battery, with 3,679 Wh nominal ene with innovative battery management system including numero	ous
		protective functions, waterproof to IP67; includes data cable (1 Cruise 3.0. If used with Cruise 4.0 or Cruise 6.0 please install acto ISO16315 if applicable	, .
2104-00	Power 48-5000	High-performance lithium battery with TorqLink, with 5,275 WI weight 82 lbs, with innovative battery management system inc waterproof to IP67; includes TorqLink data cable (3 ft)	23

Accessories

Extras		
1925-00	Travel bags (2-piece)	For transporting and storing Travel models. Includes two bags, one for the motor (including tiller and accessories) and one for the battery.
1926-00	Travel battery bag	For transporting and storing Travel batteries
1977-00	USB adapter for Travel and Ultralight	USB adapter for charging USB devices from Travel or Ultralight batteries. For use only with batteries part no. 1146-00, 1147-00, 1148-00, 1155-00, 1416-00 and 1417-00
1931-00	Protective cover Travel	Protects the Travel's motor cable from UV fading and the shaft head from dirt. Water-resistant and breathable
1924-00	TorqTrac	Bluetooth dongle allows the use of the TorqTrac smartphone app to display the onboard computer, remaining range, map and more on your smartphone. For Cruise, Travel and Ultralight. Built-in Bluetooth for the TorqLink throttle (1979-00) and in the aluminum throttles (1949-00 to 1952-00)

		for the forquirk throttle (1979-00) and in the aldmindin throttles (1949-00 to 1932-00)
Chargir	ng equipment	
_		00 M sharper for electric applicate rated 100 340 V and FO COULT For use only with
1133-00	Charger 90 W for Travel and	90 W charger for electric sockets rated 100-240 V and 50-60 Hz. For use only with
	Ultralight batteries	batteries part no. 1146-00, 1147-00, 1148-00, 1155-00, 1416-00 and 1417-00
1128-00	12/24 V charger cable for Travel and	Allows Travel and Ultralight batteries to be charged from a 12/24 V power source.
	Ultralight	When charging from a lead/AGM battery, please ensure that undervoltage protection is in place
1997-00	Solar charging cable for Ultralight and	Allows Travel and Ultralight batteries to be charged from a third-party solar panel up to 160 W with a
	Travel	standard MC4 connection. For use only with batteries part no. 1146-00, 1147-00, 1148-00, 1155-00,
		1416-00 and 1417-00
1132-00	Sunfold 50	Foldable 50 Wp solar panel, convenient size, highly efficient, plug & play connections for waterproof
		charging of the Travel and Ultralight batteries manufactured since 2015
2206-20	Charger 350 W for Power 24-3500	DC charge current 10 A; charges the Power 24-3500 from 0 to 100% in a maximum of 11 hours;
		waterproof to IP65
2210-00	Fast charger 1700 W for	DC charge current 60 A; charges the Power 24-3500 from 0 to 100% in <3 hours; waterproof to IP65
	Power 24-3500	
2207-00	Solar charge controller for	Solar charge controller for Power 24-3500 with MPPT regulation. Enables safe and efficient charging
	Power 24-3500	with up to 232 W (solar modules not included)
2211-00	Fast solar charge controller for	Fast solar charge controller for Power 24-3500 with MPPT regulation. Enables safe and efficient char-
	Power 24-3500	ging with up to 65 A battery current (solar modules not included)
2213-00	Charger 650 W for Power 48-5000	TorgLink-ready charger, DC charge current 13 A; charges the Power 48-5000 from 0% to 100% in a
	3	maximum of 10 hours; waterproof IP65
2212-10	Fast charger 2900 W for	TorgLink-ready charger, DC charge current 50 A; charges the Power 48-5000 from 0 to 100% in <3
	Power 48-5000	hours; waterproof to IP65
2218-00	Solar charge controller for	Solar charge controller for Power 48-5000 with MPPT regulation. Enables safe and efficient charging
	Power 48-5000	with up to 325 W. Automatically turns battery on when solar energy is available for charging (solar
		modules not included)

Warning Notice according to California Proposition 65 Regulation

AWARNING

Cancer and Reproductive Harm www.P65Warnings.ca.gov

Part no.	Product	Description	MSRP in US
-	lers, fins and anodes		
1912-00	Spare propeller v10/p350	For Ultralight 403 (Ø 200 mm)	
1972-00	Spare propeller v10/p1100	Standard propeller for Ultralight 1103, spare propeller for Travel 603/1103, weedless	
1973-00	Spare propeller v10/p1100	Standard propeller for Travel 603/1103, spare propeller for Ultralight 1103	
1905-00	Anode Al Cruise 2.0/3.0/4.0/6.0	Anode made of aluminum for the operation of Cruise 2.0/3.0/4.0/6.0 R/T, Travel 603/1103	and Ultra-
	R/T/FP, Ultralight 1103 and Travel 603/1103	light 1103; for use in fresh and salt water. Attaches to the propeller shaft	
1984-00	Propeller B 12 x 10.5 WDR	Universal propeller for all Cruise 3.0 models	
1985-00	Propeller B 12 x 8 FLD	Folding propeller for Cruise 3.0 FP	
1986-00	Propeller B 12 x 13 THR	Thrust propeller for Cruise 6.0 models, standard propeller for Cruise 6.0 FP	
1987-00	Propeller B 12.5 x 17 HSP	High-speed propeller for Cruise 6.0, standard propeller for Cruise 6.0 R/T	
1988-00	Propeller B 13 x 11 FLD	Folding propeller for Cruise 6.0 FP	
1992-00	Anode set Al Cruise 3.0/6.0 FP	Anode set for Cruise 3.0/6.0 FP models with folding propeller (part no. 1985-00, 1988-00)); consists
	with folding propeller	of four anodes for attachment to the propeller and hull bracket; made of aluminum for use salt water	
1995-00	Anode set Al Cruise 3.0/6.0 FP	Anode set for Cruise 3.0/6.0 FP models with standard propeller (part no. 1984-00,	
1333 00	Alloue See All chalse 5.07 6.0 FT	1986-00); consists of three anodes for attachment to the propeller shaft and hull	
		bracket; made of aluminum for use in fresh and salt water	
1937-00	Spare propeller v15/p10k	Thrust propeller for all Cruise 10.0/12.0 models, optimized for high thrust for displacemen	t voccolc
1961-00	Spare propeller v22/p10k	Universal propeller for all Cruise 10.0/12.0 models for medium speeds	it vesseis
1938-00	Spare propeller v32/p10k		
		High-speed propeller for all Cruise 10.0/12.0 models, optimized for high speeds and planin	iy
1945-00	Folding propeller v15/p10k	Folding propeller for Cruise 10.0/12.0 FP	1216
1935-00	Anode set Al Cruise 10.0/12.0 R/T	Anode set for Cruise 10.0/12.0 R/T with standard propeller; consists of 1 x shaft anode an ring anodes. For use in fresh and salt water	d 2 x half-
1947-00	Anode set Al Cruise 10.0/12.0 FP	Anode set for Cruise 10.0/12.0 FP with folding propeller (with part no. 1945-00).	
1947-00	Anode set Al Cruise 10.0/12.0 FP with folding propeller	Consists of 2 x anodes for attachment to the propeller, 2 x half-ring anodes, 1 x anode for	attachment
1947-00		Anode set for Cruise 10.0/12.0 FP with folding propeller (with part no. 1945-00). Consists of 2 x anodes for attachment to the propeller, 2 x half-ring anodes, 1 x anode for to the pylon. Made of aluminum for use in fresh and salt water	attachment
9259-00		Consists of 2 x anodes for attachment to the propeller, 2 x half-ring anodes, 1 x anode for	attachment
1947-00 9259-00 Cable, 0	with folding propeller Fin for Cruise 10.0/12.0 R/T	Consists of 2 x anodes for attachment to the propeller, 2 x half-ring anodes, 1 x anode for to the pylon. Made of aluminum for use in fresh and salt water Spare fin. Protects the outboard when running aground Top-mount throttle for TorqLink systems, with integrated TorqTrac and WLAN. Color display shows all critical system info, GPS-based speed and remaining range. Include	
9259-00 Cable ,	with folding propeller Fin for Cruise 10.0/12.0 R / T control, steering TorqLink throttle with color display Emergency magnetic kill switch	Consists of 2 x anodes for attachment to the propeller, 2 x half-ring anodes, 1 x anode for to the pylon. Made of aluminum for use in fresh and salt water Spare fin. Protects the outboard when running aground Top-mount throttle for TorqLink systems, with integrated TorqTrac and WLAN.	es a 10 ft
9259-00 Cable, 1976-00	with folding propeller Fin for Cruise 10.0/12.0 R/T control, steering TorqLink throttle with color display Emergency magnetic kill switch for TorqLink throttle	Consists of 2 x anodes for attachment to the propeller, 2 x half-ring anodes, 1 x anode for to the pylon. Made of aluminum for use in fresh and salt water Spare fin. Protects the outboard when running aground Top-mount throttle for TorqLink systems, with integrated TorqTrac and WLAN. Color display shows all critical system info, GPS-based speed and remaining range. Include TorqLink data cable Emergency stop key and immobiliser for part no. 1976-00, TorqLink throttle with color displays throttle with color displays to the color display shows all critical system info.	es a 10 ft play
9259-00 Cable, (1976-00	with folding propeller Fin for Cruise 10.0/12.0 R / T control, steering TorqLink throttle with color display Emergency magnetic kill switch	Consists of 2 x anodes for attachment to the propeller, 2 x half-ring anodes, 1 x anode for to the pylon. Made of aluminum for use in fresh and salt water Spare fin. Protects the outboard when running aground Top-mount throttle for TorqLink systems, with integrated TorqTrac and WLAN. Color display shows all critical system info, GPS-based speed and remaining range. Include TorqLink data cable Emergency stop key and immobiliser for part no. 1976-00, TorqLink throttle with color dis TorqLink throttle for sailboats (side-mount) with built-in TorqTrac and 1.28" display. Include cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, TorqLink Ter	es a 10 ft play des data
9259-00 Cable, 1976-00 1978-00	with folding propeller Fin for Cruise 10.0/12.0 R/T control, steering TorqLink throttle with color display Emergency magnetic kill switch for TorqLink throttle Throttle Sail side-mount	Consists of 2 x anodes for attachment to the propeller, 2 x half-ring anodes, 1 x anode for to the pylon. Made of aluminum for use in fresh and salt water Spare fin. Protects the outboard when running aground Top-mount throttle for TorqLink systems, with integrated TorqTrac and WLAN. Color display shows all critical system info, GPS-based speed and remaining range. Include TorqLink data cable Emergency stop key and immobiliser for part no. 1976-00, TorqLink throttle with color dis TorqLink throttle for sailboats (side-mount) with built-in TorqTrac and 1.28" display. Include cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, TorqLink Termounting material	es a 10 ft play les data minator and
9259-00 Cable , 01976-00	with folding propeller Fin for Cruise 10.0/12.0 R/T control, steering TorqLink throttle with color display Emergency magnetic kill switch for TorqLink throttle	Consists of 2 x anodes for attachment to the propeller, 2 x half-ring anodes, 1 x anode for to the pylon. Made of aluminum for use in fresh and salt water Spare fin. Protects the outboard when running aground Top-mount throttle for TorqLink systems, with integrated TorqTrac and WLAN. Color display shows all critical system info, GPS-based speed and remaining range. Include TorqLink data cable Emergency stop key and immobiliser for part no. 1976-00, TorqLink throttle with color dis TorqLink throttle for sailboats (side-mount) with built-in TorqTrac and 1.28" display. Include cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (side-mount) with power trim and tilt, TorqTrac and 1.28' Includes data cables (3 and 16 ft), key switch, kill switch, TorqLink Gateway, TorqLink Termounting material	es a 10 ft play des data minator and " display.
9259-00 Cable, 1976-00 1978-00 1949-00	Fin for Cruise 10.0/12.0 R/T control, steering TorqLink throttle with color display Emergency magnetic kill switch for TorqLink throttle Throttle Sail side-mount Throttle side-mount	Consists of 2 x anodes for attachment to the propeller, 2 x half-ring anodes, 1 x anode for to the pylon. Made of aluminum for use in fresh and salt water Spare fin. Protects the outboard when running aground Top-mount throttle for TorqLink systems, with integrated TorqTrac and WLAN. Color display shows all critical system info, GPS-based speed and remaining range. Include TorqLink data cable Emergency stop key and immobiliser for part no. 1976-00, TorqLink throttle with color dis TorqLink throttle for sailboats (side-mount) with built-in TorqTrac and 1.28" display. Include cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (side-mount) with power trim and tilt, TorqTrac and 1.28' Includes data cables (3 and 16 ft), key switch, kill switch, TorqLink Gateway, TorqLink Termounting material	es a 10 ft play des data minator and " display. hinator and
9259-00 Cable, 1976-00 1978-00 1949-00	with folding propeller Fin for Cruise 10.0/12.0 R/T control, steering TorqLink throttle with color display Emergency magnetic kill switch for TorqLink throttle Throttle Sail side-mount	Consists of 2 x anodes for attachment to the propeller, 2 x half-ring anodes, 1 x anode for to the pylon. Made of aluminum for use in fresh and salt water Spare fin. Protects the outboard when running aground Top-mount throttle for TorqLink systems, with integrated TorqTrac and WLAN. Color display shows all critical system info, GPS-based speed and remaining range. Include TorqLink data cable Emergency stop key and immobiliser for part no. 1976-00, TorqLink throttle with color dis TorqLink throttle for sailboats (side-mount) with built-in TorqTrac and 1.28" display. Include cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (side-mount) with power trim and tilt, TorqTrac and 1.28" lncludes data cables (3 and 16 ft), key switch, kill switch, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (top-mount) with power trim and tilt, TorqTrac and 1.28" lncludes data cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway	es a 10 ft play des data minator and "display. hinator and display.
9259-00 Cable, 1976-00 1978-00 1949-00 1950-00	Fin for Cruise 10.0/12.0 R / T control, steering TorqLink throttle with color display Emergency magnetic kill switch for TorqLink throttle Throttle Sail side-mount Throttle side-mount	Consists of 2 x anodes for attachment to the propeller, 2 x half-ring anodes, 1 x anode for to the pylon. Made of aluminum for use in fresh and salt water Spare fin. Protects the outboard when running aground Top-mount throttle for TorqLink systems, with integrated TorqTrac and WLAN. Color display shows all critical system info, GPS-based speed and remaining range. Include TorqLink data cable Emergency stop key and immobiliser for part no. 1976-00, TorqLink throttle with color dis TorqLink throttle for sailboats (side-mount) with built-in TorqTrac and 1.28" display. Include cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (side-mount) with power trim and tilt, TorqTrac and 1.28" Includes data cables (3 and 16 ft), key switch, kill switch, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (top-mount) with power trim and tilt, TorqTrac and 1.28" Includes data cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, Terminator and mounting material	es a 10 ft play des data minator and display. hinator and display. https://www.ninator.
9259-00 Cable, 1976-00 1978-00 1949-00 1950-00	Fin for Cruise 10.0/12.0 R/T control, steering TorqLink throttle with color display Emergency magnetic kill switch for TorqLink throttle Throttle Sail side-mount Throttle side-mount	Consists of 2 x anodes for attachment to the propeller, 2 x half-ring anodes, 1 x anode for to the pylon. Made of aluminum for use in fresh and salt water Spare fin. Protects the outboard when running aground Top-mount throttle for TorqLink systems, with integrated TorqTrac and WLAN. Color display shows all critical system info, GPS-based speed and remaining range. Include TorqLink data cable Emergency stop key and immobiliser for part no. 1976-00, TorqLink throttle with color dis TorqLink throttle for sailboats (side-mount) with built-in TorqTrac and 1.28" display. Include cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (side-mount) with power trim and tilt, TorqTrac and 1.28" Includes data cables (3 and 16 ft), key switch, kill switch, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (top-mount) with power trim and tilt, TorqTrac and 1.28" Includes data cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, Terminator and mounting material TorqLink throttle for twin-installation motorboats (top-mount) with power trim and tilt, TorqLink Gateway, Terminator and mounting material	es a 10 ft play des data minator and "display. hinator and display. ,, TorqLink orqTrac
9259-00 Cable, 1976-00 1978-00 1950-00 1951-00	Fin for Cruise 10.0/12.0 R / T Control, steering TorqLink throttle with color display Emergency magnetic kill switch for TorqLink throttle Throttle Sail side-mount Throttle side-mount Dual throttle top-mount	Consists of 2 x anodes for attachment to the propeller, 2 x half-ring anodes, 1 x anode for to the pylon. Made of aluminum for use in fresh and salt water Spare fin. Protects the outboard when running aground Top-mount throttle for TorqLink systems, with integrated TorqTrac and WLAN. Color display shows all critical system info, GPS-based speed and remaining range. Include TorqLink data cable Emergency stop key and immobiliser for part no. 1976-00, TorqLink throttle with color displays throttle for sailboats (side-mount) with built-in TorqTrac and 1.28" display. Included cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (side-mount) with power trim and tilt, TorqTrac and 1.28" Includes data cables (3 and 16 ft), key switch, kill switch, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (top-mount) with power trim and tilt, TorqTrac and 1.28" Includes data cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, Terminator and mounting material TorqLink throttle for twin-installation motorboats (top-mount) with power trim and tilt, TorqLink Gateway, TorqLink Terminator and mounting material	es a 10 ft play des data minator and display. ninator and display. n, TorqLink orqTrac utton, 2 x
9259-00 Cable, 1976-00 1978-00 1950-00 1951-00 1952-00	Fin for Cruise 10.0/12.0 R / T Control, steering TorqLink throttle with color display Emergency magnetic kill switch for TorqLink throttle Throttle Sail side-mount Throttle side-mount Dual throttle top-mount Display gateway single	Consists of 2 x anodes for attachment to the propeller, 2 x half-ring anodes, 1 x anode for to the pylon. Made of aluminum for use in fresh and salt water Spare fin. Protects the outboard when running aground Top-mount throttle for TorqLink systems, with integrated TorqTrac and WLAN. Color display shows all critical system info, GPS-based speed and remaining range. Include TorqLink data cable Emergency stop key and immobiliser for part no. 1976-00, TorqLink throttle with color dis TorqLink throttle for sailboats (side-mount) with built-in TorqTrac and 1.28" display. Include cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (side-mount) with power trim and tilt, TorqTrac and 1.28" Includes data cables (3 and 16 ft), key switch, kill switch, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (top-mount) with power trim and tilt, TorqTrac and 1.28" Includes data cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, Terminator and mounting material TorqLink throttle for twin-installation motorboats (top-mount) with power trim and tilt, TorqLink Gateway, Terminator and mounting material Allows NMEA-2000 devices to access and display key motor and battery information from equipped single drive systems	es a 10 ft play les data minator and " display. hinator and display. h, TorqLink orqTrac utton, 2 x
9259-00 Cable, 1976-00 1978-00 1949-00 1950-00 1952-00 1966-00	Fin for Cruise 10.0/12.0 R / T Control, steering TorqLink throttle with color display Emergency magnetic kill switch for TorqLink throttle Throttle Sail side-mount Throttle side-mount Dual throttle top-mount Display gateway single Display gateway twin	Consists of 2 x anodes for attachment to the propeller, 2 x half-ring anodes, 1 x anode for to the pylon. Made of aluminum for use in fresh and salt water Spare fin. Protects the outboard when running aground Top-mount throttle for TorqLink systems, with integrated TorqTrac and WLAN. Color display shows all critical system info, GPS-based speed and remaining range. Include TorqLink data cable Emergency stop key and immobiliser for part no. 1976-00, TorqLink throttle with color dis TorqLink throttle for sailboats (side-mount) with built-in TorqTrac and 1.28" display. Include cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (side-mount) with power trim and tilt, TorqTrac and 1.28" Includes data cables (3 and 16 ft), key switch, kill switch, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (top-mount) with power trim and tilt, TorqTrac and 1.28" Includes data cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, Terminator and mounting material TorqLink throttle for twin-installation motorboats (top-mount) with power trim and tilt, TorqLink Gateway, TorqLink Terminator and mounting material Allows NMEA-2000 devices to access and display key motor and battery information from equipped single drive systems Allows NMEA-2000 devices to access and display key motor and battery information from equipped twin drive systems	es a 10 ft play les data minator and " display. hinator and display. h, TorqLink orqTrac utton, 2 x TorqLink- TorqLink-
9259-00 Cable, 1976-00 1978-00 1949-00 1950-00 1952-00 1966-00	Fin for Cruise 10.0/12.0 R / T Control, steering TorqLink throttle with color display Emergency magnetic kill switch for TorqLink throttle Throttle Sail side-mount Throttle side-mount Dual throttle top-mount Display gateway single	Consists of 2 x anodes for attachment to the propeller, 2 x half-ring anodes, 1 x anode for to the pylon. Made of aluminum for use in fresh and salt water Spare fin. Protects the outboard when running aground Top-mount throttle for TorqLink systems, with integrated TorqTrac and WLAN. Color display shows all critical system info, GPS-based speed and remaining range. Include TorqLink data cable Emergency stop key and immobiliser for part no. 1976-00, TorqLink throttle with color dis TorqLink throttle for sailboats (side-mount) with built-in TorqTrac and 1.28" display. Include cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (side-mount) with power trim and tilt, TorqTrac and 1.28" Includes data cables (3 and 16 ft), key switch, kill switch, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (top-mount) with power trim and tilt, TorqTrac and 1.28" Includes data cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, Terminator and mounting material TorqLink throttle for twin-installation motorboats (top-mount) with power trim and tilt, TorqLink Gateway, Terminator and mounting material Allows NMEA-2000 devices to access and display key motor and battery information from equipped single drive systems Allows NMEA-2000 devices to access and display key motor and battery information from	es a 10 ft play les data minator and " display. hinator and display. h, TorqLink orqTrac utton, 2 x TorqLink- TorqLink-
2259-00 Cable, 1976-00 1978-00 1950-00 1951-00 1966-00 1968-00 1975-00	Fin for Cruise 10.0/12.0 R / T Control, steering TorqLink throttle with color display Emergency magnetic kill switch for TorqLink throttle Throttle Sail side-mount Throttle side-mount Dual throttle top-mount Display gateway single Display gateway twin	Consists of 2 x anodes for attachment to the propeller, 2 x half-ring anodes, 1 x anode for to the pylon. Made of aluminum for use in fresh and salt water Spare fin. Protects the outboard when running aground Top-mount throttle for TorqLink systems, with integrated TorqTrac and WLAN. Color display shows all critical system info, GPS-based speed and remaining range. Include TorqLink data cable Emergency stop key and immobiliser for part no. 1976-00, TorqLink throttle with color dis TorqLink throttle for sailboats (side-mount) with built-in TorqTrac and 1.28" display. Include cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (side-mount) with power trim and tilt, TorqTrac and 1.28" Includes data cables (3 and 16 ft), key switch, kill switch, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (top-mount) with power trim and tilt, TorqTrac and 1.28" Includes data cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, TorqLink Terminator and mounting material Allows NMEA-2000 devices to access and display key motor and battery information from equipped single drive systems Disables the drive systems while charging from shore power. Installation by boat builder or	es a 10 ft play les data minator and " display. ninator and display. n, TorqLink orqTrac utton, 2 x TorqLink- TorqLink-
1978-00 1978-00 1950-00 1950-00 1952-00 1966-00 1975-00	Fin for Cruise 10.0/12.0 R / T Control, steering TorqLink throttle with color display Emergency magnetic kill switch for TorqLink throttle Throttle Sail side-mount Throttle side-mount Dual throttle top-mount Display gateway single Display gateway twin Hybrid safety kit TorqLink extension cable 10 ft TorqLink extension cable 16 ft	Consists of 2 x anodes for attachment to the propeller, 2 x half-ring anodes, 1 x anode for to the pylon. Made of aluminum for use in fresh and salt water Spare fin. Protects the outboard when running aground Top-mount throttle for TorqLink systems, with integrated TorqTrac and WLAN. Color display shows all critical system info, GPS-based speed and remaining range. Include TorqLink data cable Emergency stop key and immobiliser for part no. 1976-00, TorqLink throttle with color dis TorqLink throttle for sailboats (side-mount) with built-in TorqTrac and 1.28" display. Include cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (side-mount) with power trim and tilt, TorqTrac and 1.28" Includes data cables (3 and 16 ft), key switch, kill switch, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (top-mount) with power trim and tilt, TorqTrac and 1.28" Includes data cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, Terminator and mounting material TorqLink throttle for twin-installation motorboats (top-mount) with power trim and tilt, TorqLink Gateway, 2 x TorqLink Terminator and a x 16 ft), key switch, emergency off button, 2 x 3 ft and 2 x 16 ft), key switch, emergency off button, 2 x 3 ft and 2 x 16 ft), key switch, emergency off button, 2 x 3 ft and 2 x 16 ft), key switch, emergency off button, 2 x 3 ft and 2 x 16 ft), key switch, emergency off button, 2 x 3 ft and 2 x 16 ft), key switch, emergency off button, 2 x 3 ft and 2 x 16 ft), key switch, emergency off button, 2 x 3 ft and 2 x 16 ft), key switch, emergency off button, 2 x 3 ft and 2 x 16 ft), key switch, emergency off button, 2 x 3 ft and 2 x 16 ft), key switch, emergency off button, 2 x 3 ft and 2 x 16 ft), key switch, emergency off button, 2 x 3 ft and 2 x 16 ft), key switch, emergency off button, 2 x 3 ft and 2 x 16 ft), key switch, emergency off button, 2 x 3 ft and 2 x 16 ft), key switch, emergency o	es a 10 ft play les data minator and " display. hinator and display. h, TorqLink orqTrac utton, 2 x TorqLink- TorqLink-
9259-00 Cable, 1976-00 1978-00 1950-00 1951-00 1966-00 1968-00 1975-00 1956-00 1957-00	Fin for Cruise 10.0/12.0 R / T Control, steering TorqLink throttle with color display Emergency magnetic kill switch for TorqLink throttle Throttle Sail side-mount Throttle side-mount Dual throttle top-mount Display gateway single Display gateway twin Hybrid safety kit TorqLink extension cable 10 ft	Consists of 2 x anodes for attachment to the propeller, 2 x half-ring anodes, 1 x anode for to the pylon. Made of aluminum for use in fresh and salt water Spare fin. Protects the outboard when running aground Top-mount throttle for TorqLink systems, with integrated TorqTrac and WLAN. Color display shows all critical system info, GPS-based speed and remaining range. Include TorqLink data cable Emergency stop key and immobiliser for part no. 1976-00, TorqLink throttle with color dis TorqLink throttle for sailboats (side-mount) with built-in TorqTrac and 1.28" display. Include cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (side-mount) with power trim and tilt, TorqTrac and 1.28" Includes data cables (3 and 16 ft), key switch, kill switch, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (top-mount) with power trim and tilt, TorqTrac and 1.28" Includes data cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, Terminator and mounting material TorqLink throttle for twin-installation motorboats (top-mount) with power trim and tilt, TorqTrac and 1.28" Includes date cables (2 x 3 ft and 2 x 16 ft), key switch, emergency off button, TorqLink Gateway, 2 x TorqLink Terminator and mounting material Allows NMEA-2000 devices to access and display key motor and battery information from equipped single drive systems Disables the drive systems Disables the drive systems while charging from shore power. Installation by boat builder or electrician; additional parts required TorqLink extension cable (8-pin) for the extension of the TorqLink backbone, 10 ft long	es a 10 ft play les data minator and " display. hinator and display. h, TorqLink orqTrac utton, 2 x TorqLink- TorqLink-
9259-00 Cable, 1976-00 1978-00	Fin for Cruise 10.0/12.0 R / T Control, steering TorqLink throttle with color display Emergency magnetic kill switch for TorqLink throttle Throttle Sail side-mount Throttle side-mount Dual throttle top-mount Display gateway single Display gateway twin Hybrid safety kit TorqLink extension cable 10 ft TorqLink extension cable 16 ft	Consists of 2 x anodes for attachment to the propeller, 2 x half-ring anodes, 1 x anode for to the pylon. Made of aluminum for use in fresh and salt water Spare fin. Protects the outboard when running aground Top-mount throttle for TorqLink systems, with integrated TorqTrac and WLAN. Color display shows all critical system info, GPS-based speed and remaining range. Include TorqLink data cable Emergency stop key and immobiliser for part no. 1976-00, TorqLink throttle with color dis TorqLink throttle for sailboats (side-mount) with built-in TorqTrac and 1.28" display. Include cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (side-mount) with power trim and tilt, TorqTrac and 1.28" Includes data cables (3 and 16 ft), key switch, kill switch, TorqLink Gateway, TorqLink Termounting material TorqLink throttle for motorboats (top-mount) with power trim and tilt, TorqTrac and 1.28" Includes data cables (3 and 16 ft), on/off button, emergency off button, TorqLink Gateway, Terminator and mounting material TorqLink throttle for twin-installation motorboats (top-mount) with power trim and tilt, TorqLink Gateway, TorqLink Gateway, 2 x TorqLink Terminator and mounting material Allows NMEA-2000 devices to access and display key motor and battery information from equipped single drive systems Allows NMEA-2000 devices to access and display key motor and battery information from equipped twin drive systems Disables the drive system while charging from shore power. Installation by boat builder or electrician; additional parts required TorqLink extension cable (8-pin) for the extension of the TorqLink backbone, 10 ft long As part no. 1956-00, 16 ft long	es a 10 ft play les data minator and " display. hinator and display. h, TorqLink orqTrac utton, 2 x TorqLink- TorqLink-

Warning Notice according to California Proposition 65 Regulation

A WARNING

Cancer and Reproductive Harm www.P65Warnings.ca.gov

Part no.	Product	Description	MSRP in USD
1983-00	TorqLink T-cable 3 ft	As part no. 1982-00, but with straight plug to device	
1991-00	Motor cable extension Cruise 3.0/6.0	Cruise 3.0/6.0 cable set for extending the cable between motor and main switch, plugs	6.6 ft long, with
1974-00	Spare bridge cable Power 48-5000	Bridge cable for connecting two Power 48-5000 batteries in parallel, 0.7 ft long, screws	2 AWG Includes pole
1990-00	Cable set 3rd-party batteries – Cruise 6.0 TorqLink	Cable set for the use of lead, AGM or LFP batteries (incl. Power 24-3500) with you	ur Cruise 6.0 TorqLink
1979-00	Cable set 3rd-party batteries - Cruise 10.0/12.0	Cable set for the use of lead, AGM or LFP batteries (incl. Power 24-3500) with you model year 2021 onwards or Cruise 12.0	ur Cruise 10.0 from
2215-00	On/off switch for Power 48-5000	Switch for activating/deactivating the Power 48-5000 when used without Cruise	system
2217-00	TorqLink gateway set	Gateway allows communication and connection between products with and with controls Power 48-5000 battery banks without Torqeedo motor. Includes on/off 48-5000 and 16 ft extension cable	
1918-00	Throttle for Travel, Ultralight and Cruise models without TorqLink	Throttle with display of battery status, GPS-based speed and remaining range. Enables operation with throttle instead of tillers for Travel models. Spare part for models without TorqLink. Includes data cables, 5 and 16 ft (5-pin)	Ultralight and Cruise
1914-00	Emergency magnetic kill switch	Emergency magnetic kill switch as spare part for throttle 1918-00 as well as Trave	el and Cruise T
1921-00	Data cable (5-pin) 5 ft	Extension cable for Travel, Ultralight and Cruise models allows a greater distance tiller and motor	between throttle/
1922-00	Data cable (5-pin) 16 ft	As part no. 1921-00, 16 ft long	
1934-00	Spare cable bridges Power 24-3500	Cable set for connecting two additional Power 24-3500 to a battery bank; include cable (15.7 in long) with battery terminal connectors; 4 x parallel bridge cables (15 terminal connectors including nuts; 2 x 5-pin data cable (5 ft long)	
2304-00	On/off switch for Power 24-3500	Switch for activating/deactivating the Power 24-3500 when used without Cruise used with a TorqLink throttle; With LED; waterproof to IP65	system or when
1920-00	Motor cable extension for Travel and Ultralight	Cable connection extension between battery and motor for Ultralight and Travel models allows a greater distance (6.6 ft) between battery and motor; waterproof	plug connections
1927-00	Spare parts set Travel	Set for Travel consisting of emergency kill switch, battery attachment pin and ste	ering fixing pin
1919-00	Long tiller arm	23.6 in tiller tube extension for all Travel and Cruise T models	
1970-00	Kayak bracket for Ultralight 403	Optimized kayak mount for Ultralight 403 (part no. 1404-00 to 1407-00)	

Warning Notice according to California Proposition 65 Regulation

▲WARNING

Cancer and Reproductive Harm www.P65Warnings.ca.gov



A global network

Service centers and service partners around the world

Torqeedo service centers

Torqeedo Inc. 171 Erick Street, Unit D-2 Crystal Lake, IL 60014 USA

T +1 (815) 444 8806 F +1 (815) 444 8807 service_usa@torqeedo.com

Torqeedo GmbH Claude-Dornier-Str. 1, Geb. 901 82234 Wessling Germany

T +49 (0) 8153 - 9215 - 126 F +49 (0) 8153 - 9215 - 329 service@torqeedo.com

Torqeedo Asia Pacific Ltd Athenee Tower, 23rd Floor 63 Wireless Road, Lumpini, Pathumwan, Bangkok 10330 Thailand

T +66 (0) 212 680 15 service_apac@torqeedo.com





UX/UI design:

Modus X (31/34/36) Schlagheck Design (8/22/26) Schlagheck Design

Kiel, Industrial Design (35)

Rory Hinds / Mine Films (32) Christophe Launay (36) Henrik Ljungqvist (41)

Printing: K & M Printing



Torquedo products are engineered and manufactured to the highest quality standards. Torquedo motors and accessories are designed for long use in difficult conditions and must prove this in testing in contin-

uous use. Every single product is carefully inspected before delivery. Certification to the internationally recognized quality management standard ISO 9001 is a guarantee of the quality of our products.



Charting a new course

Digitalization, electrification and autonomous vehicles are changing how we get around. Torquedo is bringing new mobility onto the water – and you can profit from the new technology.

How we move people and products – in fact, our entire mobility culture – is changing. Today, we navigate the ever-more complex urban infrastructure with our smartphones, changing from rent-a-bike to Uber pool to subway travel in an instant. Digitalization and connectivity are driving a mobility revolution not seen since the advent of combustion engines.

Waterways as a way out

These new, smart and interconnected mobility services are also extending onto the water. By 2050, the global population is projected to reach 10 billion, with 75% of people living in cities. Facing this rapid population shift and the resulting gridlock of land-based transportation, urban planners are looking to the waterways that grace many metropolises to ease the burden on the road and rail infrastructure.

Many old canals and rivers that had been covered by concrete for decades are being reopened and integrated into public transport networks. Twenty all-electric commuter ferries are operating in Bangkok, Thailand, powered by twin Torqeedo Cruise 10.0 electric outboards. Electric ferries are contributing to cleaner air in metropolitan areas and lowering the carbon footprint of on-water transport. Commercial vessels cover their roofs and sunlit surfaces with solar panels to generate energy and reduce pollution, or even go completely emission-free.

Because of the focus on building a climate-neutral economy, electric mobility is growing exponentially year after year.

A smart business choice

The mobility revolution goes beyond exchanging motors; the whole operational system is being reprogrammed. Amsterdam is the first large city to have started trials of autonomous transport boats for goods distribution. On urban canals or rivers we will soon see autonomous ferries or water taxis that

can be ordered by smartphone. As 21st-century technology shouldn't be powered by 20th-century engines, electric motors are the propulsion technology of choice for this new application field.

Smart, connected electric mobility means the world's great cities can improve their air and water quality, protect the climate, and simultaneously improve their citizens' quality of life. We're proud to be part of this global transformation. But the switch to electric is also a smart business choice: reduce operating costs, improve the user experience and minimize your carbon footprint, while setting your company apart. Powering your business with environmentally friendly drive systems from Torqeedo may even provide a competitive advantage for funding, official permits and customers in the marketplace.



Scan Torqeedo's commercial catalog

Now is the time

Torqeedo provides a complete, integrated and proven electric propulsion system for your commercial project. With a battery capacity warranty of up to nine years and worldwide service, now is the time to lower your operating costs and carbon footprint with a high-tech electric mobility system from Torqeedo.

It all adds up

- Save 100% of your gasoline or diesel costs and instead:
- + Spend a fraction on electricity and battery write-off
- + Reduce maintenance costs
- + Enjoy high reliability

= If you're out on the water 100 days a year or more you may save money by going electric.



What we offer



Diagnostics and service: Torquedo specialists can solve many hardware and software issues remotely.



Experts on call

to answer questions or schedule service.



On-site support: A Torquedo technician will travel to your place of business to perform maintenance or repairs.

We'll be pleased to provide you with a calculation customized to your requirements:

usa@torqeedo.com

Torqeedo

Contact Torqeedo

Torqeedo Inc. 171 Erick Street, Unit A-1 Crystal Lake, IL 60014

T +1 (815) 444 8806 F +1 (815) 444 8807 usa@torqeedo.com

Claude-Dornier-Str. 1, Geb. 901

www.torqeedo.com

Your Torgeedo dealer



This catalogue is printed on chlorine-free paper from sustainable and responsible sources.

Goods are delivered exclusively according to our Terms of Sale and Delivery according to Torqeedo's current Terms and Conditions of Business. We reserve the right to make any changes, including pricing, at any time.

Part no. 8023-000